


Eigh. melanadenia Foor i Bizelow Cole. AMM. L. ". Cide prorumb. H. suborbiculat. portet. ommi integering dense vano-puberventet. Tip mind. Involuer Jolita, glad. Fransvers (nignis?) appent pelaladis semiostrulati Caps hissatis - semin. lauribus opacis. den Gabriel, Californie, Obgelow and one of the property of the state of the 





t obliver polenge einarginatis 70.6 ciph. Peples in patul, so glaboratum, folis meximololizzon annua obligario de de si information proventaga duetate, 1. obstærrt sklegringruleis etipulis multifordis delarcis authoris alanty, de - quely Cax as foliereas (renegentes ter in unte,)

plantitis & mappels sulation framuela absent


glacitis & manifesti quasicyathi for film

stylis bris busy ad an ed - Cifertis Chalys 1.4 Jem sami jupis obliere augustate the for brever recurred sem. ovetti aretti, sunges comme is a swelling of the feminden which sometime forms læneren melis, t. irregulænt a prendrantles. impresse puntatus sends mende ik la li long; relyx developed MISSOURI BOTANICAL copyright reserved

GARDEN

2 Cuph. suttent patel sen Ablies e bani obligue let 4 obligs s. subrondet, ovatis oblus; sommen subservates vil jutignas melis de stiplis stavens derikes author's alan En den i glomilos lexos parsiflenos stignetibs dvenitis clavellets rapitatis samuel, cratis aoute augulits. lawrendis sen seb leutre mints sont relation Som er soo obne Lecto \_\_\_ 7 600 8 miles ly steams lan 3-4 l. ly a little les arde, seed almost smooth priregularly rugore allos by e d. 3 m min hitter only under a good glan, L' Same Upp Samuel, & Colubri sin & Mentenz Ceary more shaply someting someting mostly namound at base; applages som eller, no other d'éleverse The promline stignete a seed of these will confirm their species. MISSOURI

BOTANICAL copyright reserved



Eddynama Scrpylliplin Pers. 35/0 anne peterts see Siffersa folis e ben obliger obties. s. zen oviter obbusis I. superants antiusentes, dutatis 1 Sitegus stipulis triangulatis sen lacircolatis fan'hister authodies alanibus I, den - glomes laxes Caterells, ranfer his glandliffenter onde myönten longing appropriating que lattion, by Thylis putulis with much sen alter lifisti, strymelikes clavellatei rapsula subarute augulats sembilen ovater anguleter vix trænsvere meg medelet. B. inappostality Hey west - Flowish, Blodgett, Chapman Smiller plants, 4 who high subund lagu on 8-12 thehing by their marries al base vide obovette, with mon or less Astrictly total or reacte. in a form out by Moderate They are brown at base ovate of a firmer texture and all but the lowert ones entite That glas are always very unique

Twire as large as the autemons applyes namon but propert are veg normor et ti appen - our sul by & Chape entirely, Agles inally do below the undle n' 10 me sperimo konte to Hundle Seeds 0.45-0.5 t. ling and 013-23.35 Eigh doira Hunt. B. K. her elso filia vers-, apri- semiti a de 2 gla 3 lagrette the others Tich herb Afring I for form from quadologe would him ( ole by Dradauy) which probably belongs here; leaves more firtinelly deutete towns the portet and often the appear most even laber on Jeeply toother ! access a C. Att smaller the It flow perano , 0.4 the vise the same. in the state of the state of the printe of printer texting the some the some with and the same and the same of t MISSOURI BOTANICAL copyright reserved cm GARDEN


Le somsanguiren dem diffusa gleber me folis e basi oblique melete s. (latere infentre acità augustita) subanta Oblongis 1/obovati; Oblogalinai be oblisis antid very april orgate Zarratij Stipulis Comités settenes fissis
authori alentes sen den den es glomenles laxos letenles enfection bruits integuis sur renatis stylis bruibes aprice sen various at much filolis Semmes suget oviter 1. ovite -Ablineanily, levite ex souptij for s. my to better. wheter angulis antis chtagnis de de Texas; App Musson Misollet, Hayden BWML 1823 - part (305 151) Copper minus Mong Killy Bellillon Agry (350 i pars) a Wright 1846. (319. 1851) 3 " 666. (1849) pr-1079 & 111) El Para " B Sat Te, Fenten 791 & 803 B. Mirollie Musson & Hayden Frenk Cly Life. Abouting their anti- sugar manulation of municipality etas i obling blongol hearty inmamlatis. MISSOURI

BOTANICAL copyright reserved cm GARDEN

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN


Euphobio glypto sperma annu erute pitule some. tumbens, glabensma folis e ban valde obliguea obtusa (laten aegus latis oblogis s. obloge inferme produto Cohen bus obtens is versus demi condata) apire subservater. S. sutegnusvulig stipulis siture Caria, Eti, author's alanting demin Frish steppis sen both ventis bilobis stigut. En soglebosis. apole of the selection sun in the ovales angule Jugosis angelis arutis malal. E. poly gonifoli Hook flow B. Am. B. missephylla . follis fretherb. Tom. pandis, ækpere vix oremulatis åhvolenis minuter gladulis vig app Islatio den muly From the upper Mistouri Nirollet Hayden Texas of the Liano Library Ungel 1855 (61. 1851) Sonain Sandhilly 1853 /66 1851) 1856 (525 1852) Limpio to Paros From a few where to a fost high The north layer former have an 3-6 li ly as with ist lever are 1-3 liles. 1/2 - 1 wide i noolen it lette only 0.3. line leng i - dend in 6At forme - 0,5 1. by i B. a little smallen; very sharply angled nother; - similar to that of I. avalifolis MISSOURI

BOTANICAL copyright reserved cm GARDEN



25 Rugh. humistrate annua prostrato probembo folis e basi obliger oblien sen subsonsits ellipter ollonging obtini se supenomber anti as als ven aprice sembles 2. sul Integnis sultus parse pilosis I glubis Stipplis shoulder phobisthy
glominalis latentiles foliareis inorbers o dorso fisso gledlig brygges stipitates mudi sen languate appuds meleti stylis pelangalis grandels, and med bifil; rapsula pullemla sem n'bus ovulis 4-angeletes sarthanto vinculasis. Ounkudthe Lower Ohio (Short) of the low Missings Allange plus the its allies. steers of 10-20 inches long leaving using 5-6 but some of the Alikes of the I more the half as work off almost glabours with harry petioles, Het Att modern slif extensing about to the base a therby berong oblique! Hipe of glad (the immer Coloritself) long e myssen, - Leeds orgo.4 Clong, but this in proportion

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN



15.59 Elida demia annua prostruta caule sursum Orfarian puberulo folis e basi obligue obtusa In subsonate oblinges oblines semletis subleis pane pilosis Jen mudes. stipulis laureolato subulation po tos glæmenligletentte, demun in spram rongestis Brooleenis parvis piloses obliquis dono profuse fissis, glandelig minutis longe stipitatis lobos lecritas, laticeolatos pilosos acqualté stylis exettis basi rometis apire biglistis ovan'- pilos cen acquantiber I supposantiber capsala prilosso.

Sember ovatis arutius anguletis' sobrugla bosis. Thagues on the Isthmen, of Pana Funca coll Nº 278 - Bheli sister to a large for of C. mendels Herry While teste it bear a great confile leaves miles to fay with 2 constants. The very mee (0.4 1.65) maply oleft involver in which the egnes of the own - at teron obligue and thenby, the perulia fettlem If the speris however is the short glands, which La foid to the sports it is ale hulfas log as the kewolun as a grand some longer than the Gland itself MISSOURI BOTANICAL

copyright reserved GARDEN

sud plumpetet ont 0,3 lily. Very near 8. humstrate byth voy smill much for the styles and long stiples of the voy smill more rugore the tele vermiose seed) . -Then I ferret to separate them Then for welly The second second second MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN

22-27 Eugh. murulette Li annue prostrata type piloso pulences folis e bass obligen obligen 1. condats (mores acuts) overtis s. plemigne ollongis 1. san Es ortis obtues angut semulation salter pulosis supruplemmen medis, sæper mbru marulatis Triplis laurelete schelete, land Eti, glomenlie / sessilibus multiflonis Rulen Coty problemis parvis sortes dorse fissis gelis minutis augustu plus muning apperstulation s. sanin autombay sen tomibus medis. stylis erectsius relis aprir sen at median beglistis strans pilosum aequantibres s. es brunn En japseles petosa subante angulati summes orster leviter frus venn rugosis, augulij antis integnis. A wirely spined as washele llast, omme eng sher læst for well as the easter parts of Mansas a 9 th qualloquendiano Olivers in Texas Permer detousa B. glabor. colletes bijanian pelosulis folis basi velde obliguis longionibes Fennion by retirulation subsenting fere mudis glomembis legt onbeg mys foliares. eapsela pilosa.

MISSOURI BOTANICAL copyright reserved GARDEN

stews for a few that to a post long, leaves 3-4 light as a surely len the half as wide - feeds vandle i sige popular the 0.4 to over 0.5 likes i tengtt ., marke with about with sittle, but with entire angles somtimalist is some the ribs become satte selettet so i om for Alaban sent by Defates the and how near sharp as in som other The same of the sa The state of the same of the s a to see as see to be a see to The second of th MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS helien the feet of the second for the feet of the feet The state of the s the market of the mander of the MISSOURI BOTANICAL copyright reserved cm GARDEN

24 20 19.5/6 perennis (?) admits patel, prom (liter openin Lai produta folis fronter anti gladolo semtis utmegen hitis stipulis subuletes selanes fubsialis. glomenlis lettent, buy ghardes agento appensibleting Tylis oranio rumemente Berstriks ad med's boylest papele that Som when augusting acut angulater megulosis Set of the Niv Grande mexico about Cerrallo & gray monteny My Caton mung amelig stems able binches high for a stort lizuros vol felor with very smill, upwith lange Ceaves Then are 3-4 leas los ond 2-2/2 with very obligue the hors on orthe zero, wenter seeds able 0.5 ling any name

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved

Output

Missouri


Botanical

Garden



2. Stillospora summa evento patela faibt sven folis e basi obliguen fondste Montaties ovatres asquite demiti. søpn pane potosis sen sobnud; stipulis sublates viljatis glandis Anguste applications Myly overis pubers brevisntry patules judirises otiquelités. 3 capitates, papsula pubenla antangela semise. buy augustis aoute augutatis exsembeto-puntatis. - Kansus 198 to Sants To Telle 797 20 - Sonapalling (1894 (59) lefy leaves 2-4 line los Migmata 3 rapilite on the shirt offe, i mig Tuelas spens Think is an inclination to a dising At stryming so Sears believe d.5 and d. f. fing Brana Mobbentissina, prostrute AMita much 1854 stippelis Couraction, Chathard peut Catentiles, minutis, in gløinemles Calentes foliosos sportjones congetti glide med harnis lamacalati viliatis gludulas parvulas mudas supentites, stighter otyli, concertis indivisis ovanie melle brevoils; summitte myontes myon - Buntatii. I south out of El Paro. - - Author only of Cin les Lagur laggale pyrandt, seeds 0.6-0.7 lin lag rugose-puntale, a little longer al mon duply as irregularly puntate the it oth form MISSOURI BOTANICAL

copyright reserved GARDEN



prostrute Ail (=ppmfmm.) 15 5/15/ Eughiorshifolier -) B. puber vens ænnua prostrute piloso puberas folis e basi valete oblegue ottern s. subombet ovette In Bortis delusis demilis muniche saefe perpunis Typu plengre glibris subtres polos is Stipulis laurealatis pilonis glomenli l'atendes plisais Arbsenili bus javolumis panis tembritatis glandis monspring vix pane appertisaleti stylis minutes weller heed. depsula villosa acute augulet; Seminibus obstation acouste trassoure Jugosis, angulis acutes venoulets (Entspo Onle folis que submils Alle ithe purperer mengstutis (8. purperer shoolewor ovaring polosula. (8. purperer Hele: Ho) floot tole for Theyen on the Colomba Littie Doubt Liano Loker. Wright 1848 - part. -Bottom of Devils niver. 75 6. 1852 Derlandier 2530 & 1100 on the medina Heurs for a furth the apost long, lews 2-46.5 Leeds. O.4-0.5 lily very sharply mangane

MISSOURI BOTANICAL copyright reserved cm GARDEN

Specimen of C. calletischends Kith fire Splintable - fo. Gotting. coll & Schinde, are itative with our plan - leaves 1-1/4 li long - smoothish - ombolens one of les gles wither applying , styles very thouse daply bifit, stigm. davillate, seens 0.4 - 0.45 log skuply myore, bet edzer omly slightly hotched on entire! The Miger Mut is samme, leaves small, other glas inappetalet, but seed stongly hothers to pulle and designed as demination of the service and the second of the second o Bothom of District more of the second of the 1 1-de 1.1-1.10 -1-19 MISSOURI BOTANICAL copyright reserved cm GARDEN

E. anochs Denth. Det Dulph = l. orymordes Hook non Lin (fire Deth. = all thirthority Schaner in Lin not H. O. H. Deth. p. 5/5 Samue insvisa decumbers proberula Linner al Censt Scharner! in Lanea XX 727. plies e basi obliguen condat, M. Aschl. 573 vatis sollusist son subar utis Jee othe Judic semlates super glabris selles stipplis subalet, pilosis glommli pariciflos shoolewins done fissis alreforming obliques postice clengation for the filiform by instricting obliques vannu vanes per superantiby ppsala pubern semmistaganto venato-agalatis simby propudis fransversis exaratis thought 1845 (1851. 308) Copperanty story Thurbur gravelly arroyos in Sonora Avy myeler species, with the poster loby greats only upon s. sprag horstell and partly bakers, covering the fruit which extraper fortrudy Stil the ovary through the Single style, Ithen the styles of the species of the specie like shoolune evitte spraalige vings above 1 l. i Sá unti Leeds 0.5 li long mondaply yours the any Mes of the var Zygo stogmaler folis about the angustion oborster s. oblanceletin, stylis apiec birapitets, sem sibes minute; mexico mixed with Coullers No 1447 MISSOURI

BOTANICAL copyright reserved GARDEN

fragmed in Leeds only 0,3 l. long perinnis? Polices e busi augusta 5. Souli outer s. Superviles skether leti; glomenlis softentis bylis filitation of Med of Strations of the Stration of the strate of the Mean Jipimo wed fth

Oits frage sing Grayge 812

Leaves only 1-12 lines los Rost think appell seed that family and O.5 This long exactly the those of the Maries. van gamostyle This worksbuth. peronnis suldermaken, foligen, suppostation for the south Tom anceps onti den dolangis obligis sembis utnique aspenis stylis basi romalis, aprile bifists enutis, stignttofili upla 3 nea Guadalajan My Sterry West Thomas 6 inch long fra that ligner rook lear, that I rough, 3-6 or en 6 liza los of the mexis-fel ments is lance attoned to prest for a holy plant, and of the Jam shape though Mille more wite, the pagets flower and of miller with smille Cleave, the wise identitel MISSOURI BOTANICAL

copyright reserved cm GARDEN

= diosea Hoskings
gliles Euph. prosule persons: I fina oule folis e bui oblige nbonst arto orbirleti agute senate; utrunger prosis dem medatig stopuler lawredate scholate glommen terminelle agglomentis, involumilaeve Involveni Calvis glubelis I 4 apprints orbitalis Styles alla med bytest sobered otters and glade sin & Gontina de angeletis leviter fransven sugoris Byplains near Tisistivan (behan western Mexison Diggy. montick Jamon numerous stems a for chilos long apparely for a thick figures fellows municipal seeds out l'Es e 0.3 ithich res

MISSOURI BOTANICAL copyright reserved cm GARDEN

